

Travel Information for people with Parkinson's disease

Patient's name

Date of birth

Blood type

Country of origin

Travel dates

Main emergency contact details

Name: _____

Phone number: _____

Relationship to card holder: _____

Physician's name

Clinic name and phone number

Additional emergency contact person

Name: _____

Phone number: _____

Relationship to card holder: _____

Traveling with Apomine®

People taking Apomine® can usually travel without any specific concerns due to their treatment.

It is recommended that you contact your airline in advance of your flight.

Practical tips for travelling:

- Ensure that you take adequate/extra supplies of Apomine® Solution for Infusion reservoirs, extension tubing, needles/cannulas, dressings and a spare battery.
- Protect from light. Always keep Apomine® vials or cartridges in a hard container.
- Remember to be careful with the used needles/cannulas and take them home with you for safe disposal in your sharps bin. Alternatively, take a plastic container or small sharps bin with you.
- Take a list of contact numbers with you.
- Ensure Apomine® vials and cartridges are stored below 25°C. Do not refrigerate or freeze.
- When visiting very cold climates, ensure your Apomine® vials or cartridges do not freeze.
- When travelling, keep your medicines where you have access to them. Do not pack medicines and pump supplies in checked baggage, which may get lost. Lost luggage is even more problematic when vital medicines are contained within.
- Once opened, the contents of the cartridge should be used within 72 hours; and the contents of the vial should be used within 24 hours.

Other medical conditions:

Allergies:

The patient is taking the following additional medications:

Medication:	Dosage:	Qty:
1		
2		
3		
4		
5		

Notes:



Attention

Apomorphine is a medication for people with Parkinson's disease in the advancing stages.

Apomorphine does not contain morphine, is not a narcotic and is not habit-forming or addictive.

Apomine[®] Intermittent

3 mL cartridges containing apomorphine hydrochloride hemihydrate 10 mg/mL delivered by an injection pen

Dosage: _____ mg

Dosage: _____ mg

Dosage: _____ mg

Apomine[®] Solution for Infusion

20 mL vials containing apomorphine hydrochloride hemihydrate 5 mg/mL delivered by a pump

Dosage: _____ mg/h

Dosage: _____ mg/h

Dosage: _____ mg/h

Dosage: _____ mg/h

Dosage: _____ mg/h

Dosage: _____ mg/h

Medical Certificate

This patient requires treatment with Apomine[®] for their personal use. The treatment is self-administered via either a self-injection pen or a subcutaneous (under the skin) infusion. It is necessary for the patient to carry a number of the following treatment-related items in their hand luggage to administer their medication:

- Apomine[®] Intermittent 3 mL cartridges x _____ with injection pen
- Apomine[®] Solution for Infusion 20 mL vial (5 mg/mL) x _____ with pump system
- reservoirs
- needles/cannulas
- extension tubing
- swabs and dressings
- sharps container

Signature/stamp of the physician

Apomine[®]

apomorphine hydrochloride hemihydrate

Apomine[®] is a registered trademark.

Further Information is available from InterPharma Medical Information at 1300 308 213 or medinfo@interpharma.com.au.

© InterPharma Pty Ltd. Sydney, Australia. ABN 19 099 877 899.
Prepared: August 2023. IP-APO-001.

InterPharma an  **EVER**
PHARMA company.